

\$	EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE		
\$\$ \$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$\$	EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE	##	::
11	Щ	SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	
		SS SS SS SSSSSS SSSSSS SS SS SS SS SS S	
		\$\$ \$\$\$\$\$\$\$\$\$ \$\$\$\$\$\$\$\$	

*

*

.

*

1 2

.

.

.

1

Error messages for the SET utility Version 'VO4-000'

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

FACILITY: SET utility

ABSTRACT:

These are the error messages used by the SET command

! **********************************

ENVIRONMENT:

VAX/VMS operating system, privileged user mode utility, operates at non-AST level.

AUTHOR: Greg Robert, June, 1981

MODIFIED BY:

V03-027 AEW008 Anne E. Warner 07-Aug-1984
Add non-fatal error MSCPNOTLD to tell the user that
the MSCP-Server code is not loaded. The original use
for this is in SET DEV/SERVED when trying to MSCP serve
a device when the server code is not loaded.

V03-026 AEW007 Anne E. Warner 25-Jul-1984 Add non-fatal error INVDEV to tell user that the device type specified is invalid for the operation requested. Originally for use in SET DEVICE.

2

```
AEW006 Anne E. Warner 17-Jul-1984
Add non-fatal error NOTDISK telling user that he has
                 V03-025 AEW006
tried to SET VOLUME . . to a non-Files-11 device.
                 V03-024 AEW005
                             AEWOO5 Anne E. Warner 05-Jul-1984 Change ALTPRV to ALTPRI from below because there is
                             no privilege ALTPRV.
                             AEW0004 Anne E. Warner 04-Jun-1984
Add non-fatal error NOPRIO, from module SETPROCES.B32
stating that the process priority cannot be raised
                 V03-023 AEW0004
                             above base because the process does not have ALTPRV. (actually its ALTPRI - see above)
                 V03-022 LMP0232
                             LMP0232 L. Mark Pilant, 16-Apr-1984
Add OBJLOCKED message for SETSHOACL to indicate that
                                                                                         16-Apr-1984 14:59
                             the attempt to get a write lock failed.
                             LMP0226 L. Mark Pilant, 9-Ap
Add IVORDER and NOSUCHACE for use by SETACL.
                 V03-021 LMP0226
                                                                                         9-Apr-1984 11:49
                             AEW0004 Anne 5 Warner 6-Apr-1984
Add non-fatal error NUIUQPORT stating that the device
                             is not connected to a UNIBUS/Q-bus port.
                             AEW0003 Anne E. Warner 22-Mar-1984
Add messages used when SET VOLUME attempts to modify
a /FOREIGN mounted volume. Both are severity error.
- NOTMOD - Volume not modified
                 V03-019 AEW0003
                                - BADFRMT- Volume is not mounted with Files-11 format
                             EMD0066 Elien M. Dusseault 14-
Add message, SETS_NOPERM, for SET TERMINAL.
                 V03-018 EMD0066
                                                                                         14-Mar-1984
                 V03-017 PRB0321
                                                     Paul Beck
                                                                            11-Mar-1984 12:58
                             Add SETS_NOCLUSTER message for SET CLUSTER
                 V03-016 SHZ0001
                             SHZ0001 Stephen H. Zalewski
Add new error messages for SET PASSWORD.
                                                                                         14-feb-1984
                             AEW0002 Anne Warner 15-Dec-1983
Add messages for /PROTECTION
PROTNOTCHG -- error message, protection not changed
PROERR -- error message, unable to protect file
PROTECTED -- information message for /LOG, shows protection change
                 V03-015 AEW0002
                 V03-014 LMP0168
                             L. Mark Pilant, 11-Nov-1983 13:3 Add message to note that hidden ACEs cannot be modified.
                                                                                         11-Nov-1983 13:39
                 V03-013 AEW0001
                                                     Anne Warner
                                                                                         08-Nov-1983
                             Add messages for /UNLOCK
                             UNLOCKERR -- error message
NOTLOCKED -- informational message
                             UNLOCKED -- informational message with keyword /LOG
                 V03-012 GAS0176
                                                                                          7-Sep-1983
                                                     Gerry Smith
                             Add JNLACCERR, error accessing security journal.
```

114	V03-011	CASO1/3 Consu Smith 25-1-1-1007	
116		GAS0143 Gerry Smith 25-Jul-1983 Add messages for SET AUDIT.	
118	v03-010	GAS0139 Gerry Smith 17-Jun-1983 Add messages for SET PASSWORD.	
121	v03-009	GASO130 Gerry Smith 28-Apr-1983 Make UNKTERM an informational.	
124 125 126 127	v03-008	GASO117 Gerry Smith 12-Apr-1983 Fix some missing /FAOs and add some /ID=NOTSETs so that the error messages look like NOTSET, instead of WRITEERR.	
129	v03-007	GASO112 Gerry Smith 29-Mar-1983 Add new messages for SET ACCOUNTING, SET TERMINAL.	
132	v03-006	GASO108 Gerry Smith 12-Mar-1983 Add new messages for SET.	
135 136 137 138	v03-005	GASO107 Gerry Smith 10-Feb-1983 Add SET\$_NEWLIMS and SET\$_INTSET, to signal the new values for SET LOGIN and SET WORKING_SET.	
139 140 141	v03-004	GASO046 Gerry Smith 10-Feb-1982 Add SET\$_SYSNOTUPD, to show that the UCB and VCB were not able to be updated.	
143 144 145	v03-003	GASO045 Gerry Smith 9-Feb-1982 Add disk name to HB\$_READ and HB\$_WRITE	
146 147 148 149	v03-002	GASO026 Gerry Smith 18-Dec-1981 Use shared message file, and lower fatal messages to simple error messages.	
150 151 152 153	v03-001	GASOO18 Gerry Smith 16-Nov-1981 Add messages for SET FILE, SET DIRECTORY, and SET VOLUM	ME.

Messa	ge definitions	E 16 16-SEP-1984 01:52:32 VAX-11 Message V04-00 Page 4 5-SEP-1984 13:00:26 DISK\$VMSMASTER:[CLIUTL.SRC]SET.MSG;1
00000077	54 55 .FACILITY	SET,119 /SYSTEM
1	57 58 Fatal errors	
0077800C	60 .SEVERITY FATAL 61 OWNPROC 62	<the !as="" for="" is="" only="" own="" process="" qualifier="" valid="" your="">/FAO=1</the>
1	63 ! 64 ! Non-fatal errors 65 !	
00778012 1 0077801A 1 0077802A 1 0077802A 1 0077803A 1 0077803A 1 0077804A 1 0077805A 1 00778062 1 0077806A 1 0077806A 1 0077807A 1 0077807A 1 0077808A 1 0077808A 1 0077808A 1 0077808A 1 007780BA 1	SEVERITY ERROR CLOSEERR ENTERR HBREAD HBWRITE NOHOME NOTODS2 NOTODS2 OPENDIR OPERREQ PRONOTCHG PROERR READERR REMERR UNLOCKERR WRITEERR NONAME NOYAL NOTOPRIV NOWAIT NOTOSUSPND NOTRESUMED NOTOSUSPND NOTRESUMED	<pre><error !as="" closing=""> /FAO=1 <error !as="" as="" entering=""> /FAO=2 <error !as="" block="" home="" of="" writing=""> /FAO=1 <error !as="" block="" home="" of="" writing=""> /FAO=1 <volume a="" block="" contain="" does="" home="" not="" valid=""> <node allowed="" not="" specification=""> <file a="" directory="" is="" not=""> <!--AS qualifier invalid on Files=11 Structure Level 1 disk--> /FAO=1 <error !as="" directory="" for="" opening="" parent=""> /FAO=1 <error !as="" directory="" for="" opening="" parent=""> /FAO=1 <error !as="" changed="" not="" on="" protection=""> /FAO=1 <error !as="" reading=""> /FAO=1 <error !as="" reading=""> /FAO=1 <error !as="" removing=""> /FAO=1 <error !as="" unlocking=""> /FAO=1 <error !as="" unlocking=""> /FAO=1 <error !as="" odifying=""> /FAO=1 </error> /FAO=1 /fAO=1 <error !as="" unlocking=""> /FAO=1 /fAO=1 /frocess name not set> /ID=NOTSET /frocesd ALTPRI privilege to elevate above base priority> /ID=NOTSET /frocesd ALTPRI privilege to elevate above base priority> /ID=NOTSET /frocess !AS, PID=!XL, not resumed> /FAO=2/ID=NOTSET /frocess !AS, PID=!XL, not resumed> /FAO=2/ID=NOTSET /frocess !AS, PID=!XL, not suspended> /FAO=2/ID=NOTSET /frocess !AS, PID=!XL, not suspended> /FAO=2/ID=NOTSET /frocess !AS !PID=!XL, not resumed> /FAO=2/ID=NOTSET /frocess !AS !PID=!XL, not suspended> /FAO=2/ID=NOTSET /frocess !AS !PID=!XL, n</error></error></error></error></error></error></error></error></error></file></node></volume></error></error></error></error></pre>

```
Warning messages
SEVERITY WARNING
          BUFBLKREQ
                                <buffer count or block count required>
          SYSNOTUPD
                                <I/O database not updated for volume !AS> /FAO=1
                               <error accessing security journal>
<error creating security journal>
<error creating new journal file>
<permanent qualifier not specified>
           JNLACCERR
           JNLERR
           VRSNERR
          NOPERM
          NOSUCHACE
                                <ACE for object !AS, does not exist!/!AS> /FAO=2
  Informational messages
.SEVERITY INFORMATIONAL
                               <!AS entered as !AS> /FAO=2
<!AS modified> /FAO=1
          ENTERED
          MODIFIED
          REMOVED
                                <!AS removed> /FAO=1
                                <login interactive limit = !UW, current interactive value = !UW> /FA
<new working set: Limit = !UL Quota = !UL Extent = !UL> /FAO=3
           INTSET
          NEWLIMS
                               NAMESET
          MODESET
          PRIOSET
           PRIVSET
                               RESUMED
           SUSPND
          DEVSET1
                                <!AS set to /!AS = !AS> /FAO=3
<!AS notlocked> /FAO=1
          DEVSET2
          NOTLOCKED
                                <!AS unlocked> /FAO=1
<end of file written on !AS> /FAO=1
          UNLOCKED
          EOFSET
                                DEVPSET
           SPOOLED
                                <accounting disabled>
           ACCDISAB
                               <accounting enabled for !AS> /FAO=1
<new accounting file created>
<terminal !AS set to !AS> /FAO=2
           ACCENAB
          NEWFILE
           TERMSET
          UNKTERM
                                <unknown terminal type>
                               <security auditing parameters set>
<attempting to create security journal on SYS$SYSDEVICE>
<new security journal successfully created>
<new security journal file successfully created>
<!AS file protection changed to !AS> /FAO=2
           AUDSET
           JNLSYSDEV
           NEWJNL
           NEWVRSN
           PROTECTED
```

There were 0 errors, 0 warnings, and 0 informational messages issued. MESSAGE/FILE_NAME=CLIUTLMSG/LIS=LIS\$:SET/OBJ=OBJ\$:SET MSRC\$:SET

0051 AH-BT13A-SE VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

